

Table of Contents

FilterPlugin.....	1
Description.....	1
Syntax Rules.....	1
SUBST.....	1
STARTSUBST, STOPSUBST.....	1
EXTRACT.....	2
STARTEXTRACT, STOPEXTRACT.....	2
FORMATLIST.....	2
MAKEINDEX.....	3
Examples.....	3
EXTRACT Example 1: convert table into text.....	3
EXTRACT Example 2: convert text into table.....	4
MAKEINDEX example 1: creating an index from a chunk of text.....	5
A.....	7
B.....	7
C.....	7
D.....	8
E.....	8
F.....	8
H.....	8
I.....	7
I.....	7
K.....	8
L.....	8
M.....	8
N	
O	
P	
P	
R	
S	
T	
U	
V	
W	
m	
p	
t	
MAKEINDEX example 2: creating an index for a search result	
C	
I	
L	
O	
R	
S	
S	
T	
W	
Plugin Installation Instructions	
Plugin Info	

FilterPlugin



Powered by
WikiRing Consultants

Description

This plugin allows to substitute and extract information from content by using regular expressions. There are three different types of new functions:

1. **FORMATLIST**: manipulate a list of items; it is highly configurable to define what constitutes a list and how to extract items from it
2. **SUBST**, **STARTSUBST**/**STOPSUBST**: substitute a pattern in a chunk of text
3. **EXTRACT**, **STARTEXTRACT**/**STOPEXTRACT**: extract a pattern from a text

While the **START-STOP** versions of **SUBST** and **EXTRACT** work on inline text, the normal versions process a source topic before including it into the current one.

Syntax Rules

SUBST

Syntax: `%SUBST{topic="..." ...}%`

insert a topic by processing its content.

- `topic="..."`: name of the topic text to be processed
- `text="..."`: text to be processed (has got higher precedence than 'topic')
- `pattern="..."`: pattern to be extracted or substituted
- `format="..."`: format expression or pattern substitute
- `header="..."`: header string prepended to output
- `footer="..."`: footer string appended to output
- `limit="<n>"` maximum number of occurrences to extract or substitute counted from the start of the text (defaults to 100000 aka all hits)
- `skip="<n>"` skip the first n occurrences
- `exclude="..."`: skip occurrences that match this regular expression
- `include="..."`: skip occurrences that don't match this regular expression
- `sort="on,off,alpha,num"` order of the formatted items (default "off")
- `expand="on,off"`: toggle expansion of markup before filtering (defaults to on)

STARTSUBST, STOPSUBST

Syntax:

```
%STARTSUBST{...}%  
...  
%STOPSUBST%
```

substitute text given inline. see **SUBST**.

EXTRACT

Syntax: %EXTRACT{topic="..." ...}%

extract text from a topic. see SUBST.

STARTEXTTRACT, STOPEXTRACT

Syntax:

```
%STARTEXTTRACT{...}%  
...  
%STOPEXTRACT%
```

extract content given inline. see SUBST.

FORMATLIST

Syntax: %FORMATLIST{"<list>" ...}%

formats a list of items. The <list> argument is separated into items by using a split expression; each item is matched against a pattern and then formatted using a format string while being separated by a separator string; the result is prepended with a header and appended with a footer in case the list is not empty.

- <list>: the list
- tokenize="...": regex to tokenize the list before splitting it up, tokens are inserted back again after the split stage has been passed
- split="...": the split expression (default ",")
- pattern="...": pattern applied to each item (default "\s(.*)\s")
- format="...": the format string for each item (default "\$1")
- header="...": header string
- footer="...": footer string
- separator="...": string to be inserted between list items
- null="...": the format string to render the empty list
- limit="...": max number of items to be taken out of the list (default "-1")
- skip="...": number of list items to skip, not adding them to the result
- sort="on,off,alpha,num,nocase" order of the formatted items (default "off")
- reverse="on,off": reverse the sort of the list
- unique="on,off": remove duplicates from the list
- exclude="...": remove list items that match this regular expression
- include="...": remove list items that don't match this regular expression
- selection="...": regular expression that a list item must match to be "selected"; if this matches the \$marker is inserted
- marker="...": string to be inserted when the selection regex matches; this will be inserted at the position \$marker as indicated in format.
- map="key1=value1,key2=value2, ...": this establishes a key-value hash available via the \$map() variable.

The pattern string shall group matching substrings in the list item to which you can refer to by using \$1, \$2, ... in the format string. Any format string (format, header, footer) may contain variables \$percent\$, \$nop, \$dollar and \$n. The variable \$index refers to the position number within the list being formatted; using \$count in the footer or header argument refers to the total number of list elements;

\$marker is set if the selection regular expression matches the current item. The \$map (key) macro returns the value for "key" as specified in the map argument.

MAKEINDEX

Syntax: %MAKEINDEX{ "<list>" ... }%

formats a list into a multi-column index like in MediaWiki's category topcis. MAKEINDEX insert capitals as headlines to groups of sorted items. It will try to balance all columns equally, and keep track of breaks to prevent "schusterkinder", that is avoid isolated headlines at the bottom of a column.

parameters:

- <list>: the list of items
- split="...": the split expression to separate the <list> into items (default ",")
- pattern="...": pattern applied to each item (default "(.*)")
- cols="...": maximum number of cols to split the list into
- format="...": format of each list item (default "\$item")
- sort="on,off,alpha,num,nocase": sort the list (default "on")
- unique="on/off": removed duplicates (default "off")
- exclude="...": pattern to check against items in the list to be excluded
- include="...": pattern to check against items in the list to be included
- reverse="on/off": reverse the list (default "off")
- header="...": format string to prepend to the result
- footer="..." format string to be appended to the result

Like in FORMATLIST the format parameter can make use of \$1, \$2, ... variables to match the groupings defined in the pattern argument (like in pattern="(.*) ; (.*) ; (.*)"). The first matched grouping \$1 will be used as the \$item to sort the list.

In addition header and footer might contain the \$anchors variable which will expand to a navigation to jump to the groups within the index.

Examples

EXTRACT Example 1: convert table into text

One of the uses of this plugin is to extract data from tables, which is useful for creating "database-like" wiki applications where data is stored in foswiki tables. While it is certainly possible to do that without this plugin the plugin makes these requests easier to create and maintain. Note, however, that best practice is to store database-like information using DataForms, so that you don't need to parse the format of the data to extract its records repeatedly.

The table:

Pos	Description	Hours
1	onsite troubleshooting	3
2	normalizing data to new format	10
3	testing server performance	5

You type:

FORMATLIST


```
format="| $3 | $2 | $1 ... |$n" header="|*Date*|*Author*|*Headline*|$n"
}%
```

Expected result (simulated):

Date	Author	Headline
22 Aug 2005	Michael Daum	This is the first comment. ...
22 Aug 2005	Michael Daum	This is the second comment. ...

Actual result (this site):

Date	Author	Headline
22 Aug 2005	Michael Daum	This is the first comment. ...
22 Aug 2005	Michael Daum	This is the second comment. ...

MAKEINDEX example 1: creating an index from a chunk of text

compare with Philosophy articles needing attention

A B C D E F H I K L M N O P R S T U V W m p t

A

Actualism
Alphabet of human thought
Alterity
Analytic philosophy
Analytic-synthetic distinction
Apologism

B

Bundle theory

C

Causal chain
Causality
Coherentism
Conscience
Context principle
Contextualism
Cosmology

D

De dicto and de re
Dialectical monism
Direct reference theory
Discourse ethics
Dualism

E

Emergentism
Essence
Ethical naturalism
Exemplification
Existentialism

F

Fatalism
French materialism
Futilitarianism

H

Hermeneutics
Hypokeimenon

I

Identity and change

I

Idolon tribus
Immanent evaluation
Individual
Inherence

K

Kennisbank Filosofie Nederland

L

Lazy Reason
Logicism

M

Mad pain and Martian pain
Materialism
Meaning of life
Metakosmia
Metaphysical naturalism
Mike Lesser
Milesian school
Mind
Monism
Moral imperative
Mystical philosophy of antiquity

N

Neomodernism
New England Transcendentalists
Nominalism
Non-archimedean time
Non-rigid designator

O

Ontic
Ontological reductionism

P

Phenomenology
Philosophical realism
Philosophical skepticism
Indeterminacy (Philosophy)
Philosophy

P

Postmodern philosophy
Post-structuralism
Problem of universals
Process philosophy

R

Rational Animal
Rationalist movement
Relativism

S

Solipsism
Specters of Marx
Categories (Stoic)
Substance theory

T

Talk:Adam Weishaupt
Talk:The Art of Being Right
Truth-value link

U

Utilitarianism

V

Value judgment

W

World riddle

m

Libertarianism (metaphysics)
Species (metaphysics)
Universal (metaphysics)

p

Absolute (philosophy)
Accident (philosophy)
Difference (philosophy)
Multiplicity (philosophy)
Nature (philosophy)
Object (philosophy)
Pluralism (philosophy)
Self (philosophy)

t

Preferentialism Present (time)

MAKEINDEX example 2: creating an index for a search result

C

- CloudAnimation
24 Apr 2012 - 11:56 -
wolangha

S

- SiteTopicActions
14 Aug 2010 - 20:08 - UrsBeyerle

T

I

- IACandFriends
24 Jun 2009 - 15:09 -
UrsBeyerle

- TWikiGuestSideBar
27 Sep 2008 - 10:44 - AdminUser
- The day after tomorrow
17 Mar 2010 - 15:09 - wolangha

L

- LoginFailed
22 May 2019 - 08:47 -
UrsBeyerle

O

- OpenSWIDI
11 Sep 2012 - 11:14 -
SvenKotlarski

R

- RenderLdapUser
28 Aug 2010 - 13:06 -
UrsBeyerle

S

- SiteButtons
16 Apr 2025 - 12:20 -
UrsBeyerle
- SiteLinks
11 Aug 2010 - 15:13 -
UrsBeyerle
- SiteSideBar
02 Dec 2010 - 11:54 -
UrsBeyerle

W

- Main
24 Mar 2026 - 03:32 - WikiGuest
- WebLeftBar
25 Sep 2009 - 09:20 - UrsBeyerle
- WikiGuestSideBar
13 Dec 2005 - 18:09 -
ProjectContributor
- WolfgangLanghans
03 Dec 2012 - 18:52 - wolangha

Plugin Installation Instructions

You do not need to install anything in the browser to use this extension. The following instructions are for the administrator who installs the extension on the server.

Open configure, and open the "Extensions" section. Use "Find More Extensions" to get a list of available extensions. Select "Install".

If you have any problems, or if the extension isn't available in `configure`, then you can still install manually from the command-line. See <http://foswiki.org/Support/ManuallyInstallingExtensions> for more help.

Plugin Info

Plugin Author:	Michael Daum
Copyright ©:	2005-2010, Michael Daum http://michaeldaumconsulting.com
License:	GPL (GNU General Public License)
Release:	2.03

Version:	8284 (2010-07-23)
Change History:	
23 Jul 2010:	fixes wrapper for non-official api call to <code>getAnchorName</code> on foswiki-1.1
07 Jun 2010:	fixed expanding standard escapes (<code>\$n</code> , <code>\$percent</code> , ...); improved examples in docu
12 Feb 2010:	ease <code>tokenize</code> ; forward compatibility for newer foswikis
17 Nov 2009:	added <code>tokenize</code> pattern for <code>FORMATLIST</code> ; fixed potential deep recursion in <code>SUBST/EXTRACT</code>
14 Sep 2009:	added <code>include</code> counterpart to already existing <code>exclude</code> params; fixed <code>SUBST</code> not to forget about the non-matching tail of a char sequence
17 Apr 2009:	converted to foswiki, added numerical sorting to <code>MAKETEXT</code>
08 Oct 2008:	added <code>\$anchors</code> to <code>MAKEINDEX</code> (by Dirk Zimoch); added <code>nocase</code> option to <code>FORMATLIST</code> (by Dirk Zimoch); fixed null/empty string match in <code>FORMATLIST</code>
20 Aug 2008:	added <code>selection</code> and <code>marker</code> to <code>FORMATLIST</code> , similar in use as <code>VarWEBLIST</code>
03 Jul 2008:	sorting a list <i>before</i> , not <i>after</i> , formatting it in <code>FORMATLIST</code>
08 May 2008:	added 'text' parameter to <code>SUBST</code> and <code>EXTRACT</code> ; fixed <code>SUBST</code> as it was pretty useless before
07 Dec 2007:	added <code>MAKEINDEX</code> , added lazy compilation
14 Sep 2007:	added sorting for <code>EXTRACT</code> and <code>SUBST</code>
02 May 2007:	using <code>registerTagHandler()</code> as far as possible; enhanced parameters to <code>EXTRACT</code> and <code>SUBST</code>
05 Feb 2007:	fixed escapes in format strings; added better default value for max number of hits to prevent deep recursions on bad regexpressions
22 Jan 2007:	fixed <code>SUBST</code> , added skip parameter to <code>FORMATLIST</code>
18 Dec 2006:	using <code>registerTagHandler</code> for <code>FORMATLIST</code>
13 Oct 2006:	fixed <code>limit</code> parameter in <code>FORMATLIST</code>
31 Aug 2006:	added <code>NO_PREFS_IN_TOPIC</code>
15 Aug 2006:	added <code>use strict</code> ; and fixed revealed errors
14 Feb 2006:	moved in <code>FORMATLIST</code> from the Foswiki:Extensions/NatSkinPlugin; added escape variables to format strings
06 Dec 2005:	fixed <code>SUBST</code> not to cut off the rest of the text
09 Nov 2005:	fixed deep recursion using <code>expand="on"</code>
22 Aug 2005:	Initial version; added <code>expand</code> toggle
Dependency:	<code>\$Foswiki::Plugins::VERSION 1.024</code>
CPAN Dependencies:	none
Other Dependencies:	none
Perl Version:	5.005
Plugin Home:	Foswiki:Extensions/FilterPlugin
Support:	Foswiki:Support/FilterPlugin

[Edit](#) | [Attach](#) | [Print version](#) | [History: %REVISIONS%](#) | [Backlinks](#) | [Raw View](#) | [More topic actions](#)

Topic revision: r3 - 07 Jun 2010 - 10:16:07 - ProjectContributor

- [System](#)
- [Log In](#)
- **Toolbox**

- Users
- Groups
- Index
- Search
- Changes
- Notifications
- RSS Feed
- Statistics
- Preferences

- **User Reference**

- BeginnersStartHere
- TextFormattingRules
- Macros
- FormattedSearch
- QuerySearch
- DocumentGraphics
- SkinBrowser
- InstalledPlugins

- **Admin Maintenance**

- Reference Manual
- AdminToolsCategory
- InterWikis
- ManagingWebs
- SiteTools
- DefaultPreferences
- WebPreferences

- **Categories**

- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**

- Public
- System

-
-



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback