

Table of Contents

NatSkinWebCreateNewTopicTemplate.....	1
Create New Topic in the System Web.....	1
Title:	
Name:	
Parent:	
Template:	

NatSkinWebCreateNewTopicTemplate

You are here: Wiki >System Web>NatSkinWebCreateNewTopicTemplate (26 Aug 2009, ProjectContributor)EditAttach

%TMPL:INCLUDE{"view"}% %TMPL:DEF{"contentheader_container"}%%TMPL:END%

%TMPL:DEF{"dialog"}% %TEXT%%TMPL:END%

%TMPL:DEF{"content"}%

%TMPL:END%

%TMPL:DEF{"createform"}% Show advanced optionsHide advanced options %TMPL:END%

%TMPL:DEF{"formtitle"}%

Create New Topic in the System Web

%TMPL:END%

%TMPL:DEF{"newtopicitle"}%%TMPL:END% %TMPL:DEF{"newtopic"}%%TMPL:END%

%{ do not show the following elements }% %TMPL:DEF{"topicactions"}%%TMPL:END%

%TMPL:DEF{"formstartstep"}% %TMPL:END%

%TMPL:DEF{"formendstep"}%

%TMPL:END%

%TMPL:DEF{"topictitlestep"}%

Title:

%TMPL:END%

%TMPL:DEF{"topicnamestep"}%

Name:

It's usually best to choose a WikiWord for the new topic name, otherwise automatic linking may not work. Characters not allowed in topic names, such as spaces will automatically be removed. %TMPL:END%

%TMPL:DEF{"topicparentstep"}%

Parent:

%TMPL:END%

%TMPL:DEF{"hiddentopicparentstep"}% %TMPL:END%

%TMPL:DEF{"hiddentopicnamestep"}%

%TMPL:DEF{"topictemplatstep"}%

Template:

%TMPL:END%

%TMPL:DEF{"formbuttons"}% %TMPL:END%

%TMPL:DEF{"formstart"}% %TMPL:END%

%TMPL:DEF{"topictitleinput"}% Free form topic title text. The actual topic *name* will be derived from the title automatically. You can specify a different topic name in the advanced options below. %TMPL:END%

%TMPL:DEF{"topicname"}% Topic name the new page is associated with, preferably a WikiWord.
%TMPL:END%

%TMPL:DEF{"topicparent"}% Topic name that the newly created topic will be a child of. %TMPL:END%

%TMPL:DEF{"topictemplate"}% Initialize the new topic using a template. If you leave this empty, a default template will be used. %TMPL:END%

%TMPL:DEF{"topictemplate"}% Default template CommentPluginTemplate ExampleTopicTemplate
FaqTemplate MySideBarTemplate NewLdapUserTemplate NewUserTemplate SendEmailPluginTemplate
TipsOfTheDayTemplate UsersTemplate WebLeftBarPersonalTemplate Initialize the new topic using a
template. %TMPL:END%

%TMPL:DEF{"submit"}% Submit

%TMPL:DEF{"cancel"}% Cancel %TMPL:END%

%TMPL:DEF{"formend"}%% %TMPL:END%

%TMPL:DEF{"javascript"}%

%TMPL:END%

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions

Topic revision: r8 - 26 Aug 2009 - 22:24:48 - ProjectContributor

- . System

- Log In

- **Toolbox**

- Users
- Groups
- Index
- Search
- Changes
- Notifications

- RSS Feed
- Statistics
- Preferences

- **User Reference**

- BeginnersStartHere
- TextFormattingRules
- Macros
- FormattedSearch
- QuerySearch
- DocumentGraphics
- SkinBrowser
- InstalledPlugins

- **Admin Maintenance**

- Reference Manual
- AdminToolsCategory
- InterWikis
- ManagingWebs
- SiteTools
- DefaultPreferences
- WebPreferences

- **Categories**

- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**

- Public
- System

-
-



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback