

Table of Contents

Shorthand.....	1
General text formatting.....	1
Macros and special characters (advanced).....	2
Internal and external links.....	2
Bullet and numbered lists.....	2
Others.....	3

Shorthand

*If you can enter text, you're ready for Foswiki. With a few simple rules, you'll be able to use plain text to create well-styled postings, instantly. What you are going to learn here is called **Topic Markup Language**, or simply **TML**. So here comes a fast-track guide to shorthand basics:*

General text formatting

- Separate each **paragraph** with a blank line.
- To display a **bold type** word or phrase, use asterisks: `*bold type*`.
- To display an *italic* word or phrase, use underscores: `_italic_`.
- To display ***bold with italics*** word or phrase, use *double* underscores: `__bold italic__`.
- To display a word or phrase in MONOSPACED TYPE, use equal signs: `=like this=`.
- Use `==double equal signs==` for bold: **bold mono**.
- To display colored text, enter: `__ %RED% red text %ENDCOLOR%` and `%GREEN% green text %ENDCOLOR%` to get **red text** and **green text**.
 - ◆ `%<color>%` text must end with `%ENDCOLOR%`. If you want to switch from one color to another one you first need to end the active color with `%ENDCOLOR%`, e.g. write `%RED% some text %ENDCOLOR% %GREEN% more text %ENDCOLOR%`.
 - ◆ DefaultPreferences defines some commonly used colors: **%YELLOW%**, **%RED%**, **%PINK%**, **%PURPLE%**, **%TEAL%**, **%NAVY%**, **%BLUE%**, **%AQUA%**, **%LIME%**, **%GREEN%**, **%OLIVE%**, **%MAROON%**, **%BLACK%**, **%GRAY%**, **%SILVER%** and **%ENDCOLOR%**.
- To display headings, type (from the beginning of a line) three dashes (-), from one to six plus signs (+), a space, and your heading text.
 - ◆ The quantity of plus signs is related to the size of the heading - the more plus signs you use, the smaller the heading.
 - ◆ You can insert a nested table of contents, generated from headings, by placing `%TOC%` wherever you like on a page (see System.Macros for more `%TOC%` options).
- Use `<verbatim>` to enclose code excerpts, filenames, and other unformatted text:
`<verbatim>`
unformatted text!
and more of it!
`</verbatim>`

Macros and special characters (advanced)

- `%MACROS%` can be set inside verbatim tags - they are not disabled. For more detailed information, see Macros.
- If you want to display angle brackets, enter them as HTML codes instead of typing them in directly:
 - ♦ `<` = <
 - ♦ `>` = >
 - ♦ **You enter:** `(a > 0)`
 - ♦ **Result:** `(a > 0)`
- Sometimes you will not see the `&` character and you need to escape it to see it as it is. The reason behind is that `&` has a special meaning in HTML - it starts so called character entities, like `'©'` which is the © copyright character.
 - ♦ Type `'This &#amp;#33; that'` to get `'This & that'`.

Internal and external links

- To link to another Wiki topic in the same web, type the WikiWord of that topic: `WebHome`.
- To link to a Wiki topic in a different web, type the name of the web, and a dot, first: `Sandbox.WebHome`.
- A Wiki topic that doesn't exist will appear highlighted, with question mark at the end, prompting you (or someone else) to start that topic by clicking the `?`: `ExampleOfANewTopic?` (click the `?`, but don't save, to preserve the example!).
- To create an external link, type the full URL: `http://foswiki.org/`.
- To prevent a WikiWord from becoming a link, place `<nop>` or an exclamation mark (`!`) in front of the WikiWord: `<nop>NoLinkPlease` or `!NoLinkPlease`.
- To escape the exclamation mark escape, try prefixing a `<nop>`, e.g. write `A <nop>!= B` to get `"A != B"`. Alternatively, use the HTML entity `!`, which renders as an exclamation mark, e.g. write `A != B` to get `"A != B"`.

Bullet and numbered lists

- To indent with a bullet, enter `[space] [space] [space] [asterisk] [space]`.
 - ♦ Use multiples of 3 spaces to **nest bullets**.
 - ♦ That's 3-6-9 spaces...

- To create a numbered list:
 1. Start items in a **numbered list** with `[space][space][space][1][space]`.
 2. The "1" (or **any number**) will be replaced by a correct numbering order.
 3. To add a new paragraph without restarting list numbering, use the `%BR%` variable, like this:
Text added (in a new paragraph)
 4. and the numbered list continues.

Always start **counting** spaces for bullets or numbers from the beginning of a new line.

Others

- To display an image in a topic, attach it and type in edit mode:
`%ATTACHURL%/yourimagefilename.jpg`
- Three (or more) consecutive **hyphens** will create a horizontal rule:

Follow GoodStyle recommendations when editing topics. In general, it is always nice to add one's signature at the end of a topic or comments. To add your signature, type `Main.YourName`, it will then expand to WikiGuest.

See EditingShorthand for the complete set of formatting rules.

Edit | Attach | Print version | History: `%REVISIONS%` | Backlinks | Raw View | More topic actions

Topic revision: r1 - 12 Sep 2009 - 04:04:58 - ProjectContributor

- . System
- Log In
- **Toolbox**
 - Users
 - Groups
 - Index
 - Search
 - Changes
 - Notifications
 - RSS Feed
 - Statistics
 - Preferences
- **User Reference**
 - BeginnersStartHere
 - TextFormattingRules
 - Macros

- FormattedSearch
- QuerySearch
- DocumentGraphics
- SkinBrowser
- InstalledPlugins

- **Admin Maintenance**
- Reference Manual
- AdminToolsCategory
- InterWikis
- ManagingWebs
- SiteTools
- DefaultPreferences
- WebPreferences

- **Categories**
- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**
- Public
- System

-
-



Copyright © by the contributing authors. All material on this site is the property of the contributing authors.

Ideas, requests, problems regarding Wiki? Send feedback