Table of Contents

VarVAR.....1
VAR{"NAME" web="Web"} -- get a preference value from another web.....1

VarVAR

You are here: Wiki >System Web>VarVAR (09 Jan 2009, ProjectContributor)EditAttach

VAR{"NAME" web="Web"} -- get a preference value from another web

- Syntax: `%VAR{"NAME" web="Web"}%`
- Example: To get `%WEBBGCOLOR%` of the Main web write `%VAR{"WEBBGCOLOR" web="Main"}%`, which expands to `#FFEFA6`
- Related: WEBPREFSTOPIC

Edit | Attach | Print version | History: %REVISIONS% | Backlinks | Raw View | More topic actions

Topic revision: r1 - 09 Jan 2009 - 13:00:00 - ProjectContributor

- . System

- Log In

- **Toolbox**
- Users
- Groups
- Index
- Search
- Changes
- Notifications
- RSS Feed
- Statistics
- Preferences

- **User Reference**
- BeginnersStartHere
- TextFormattingRules
- Macros
- FormattedSearch
- QuerySearch
- DocumentGraphics
- SkinBrowser
- InstalledPlugins

- **Admin Maintenance**
- Reference Manual
- AdminToolsCategory
- InterWikis
- ManagingWebs

- SiteTools
- DefaultPreferences
- WebPreferences

- **Categories**
- Admin Documentation
- Admin Tools
- Developer Doc
- User Documentation
- User Tools

- **Webs**
- Public
- System

Copyright © by the contributing authors. All material on this site is the property of the contributing authors.
Ideas, requests, problems regarding Wiki? Send feedback